LOUISIANA BIRD RECORDS COMMITTEE

REPORT FORM

This form is intended as a convenience in reporting observations of species on the LBRC Review List. The LBRC recommends the use of this form or this format when submitting records for review (to assure that all information involving an observation is accounted for). Attach additional sheets if necessary. Please print or type. Attach drawings, photographs, or tape recordings, if available. Include all photos if an obscurely marked species. When completed, mail to: LBRC Secretary, c/o Museum of Natural Science, 119 Foster Hall, Louisiana State University, Baton Rouge, LA 70803-3216.

7080	ral Science, 119 Foster Hall, Louisiana State University, Baton Rouge, LA 03-3216.
1.	English and scientific name: Great Black-Lacked gull (larus Marinns)
2.	Number of individuals, sexes, ages, general plumage (e.g., 2ad. in breeding plumage): winter abult
3.	Locality: Louisiana latourche state parish
	Formular Beauly specific locality
4.	Date(s) when seen: October 27, 1991
5.	Times of day when seen: Avourd 10 AM
6.	Reporting observer and address: Norton Nellain 23 Swallowst
7	New Orleans, LA 70124 Other observers accompanying reporter who also identified the bird: Dan furnington
8.	Other observers who independently identified the bird:
9.	Light conditions (position of bird in relation to shade and to direction and amount of light): good - seen from several angles
10.	Optical equipment (type, power, condition): 10x yo Zeiss binorulars; 20-power scope (spacemaster)
11.	Distance to bird: 30-150 years
12.	Duration of observation: 20 minutes
13.	Habitat: Beach
	the state of

14. Behavior (flying, feeding, resting, etc. - include and stress any habits used in identification):

Standing, flying, walking, feeding at each of senf.

15. Description (Include only what was actually seen, not what "should" have been seen). Include if possible: total length or relative size compared to other species present or familiar species; body bulk; shape, bill, eye, leg and plumage characteristics. Stress features that separate it from similar species: Dende mandle. finde less Head leathy sundged, flat. Belle head both much larger (1/2-2 times) than accompanying Heiner Sulls. Bill selfent and experience when mand and lower handle a thin black mank believed allowed labored like of formed mandble a thin black mank believed featured looked like of formed and). Rock around eye giving frence both and elementing eye. White grotes an follow minutes. Tail all white nor looked had a formed for the series of whomas and the species of warms featured for the series of warms. 16. Voice: Didn't hear
17. Similar species (include how they are eliminated by your observations): All Similar species eliminated by force first, large size of head and bell, they dark mentle, finh legs.
18. Photographs or tape recordings obtained (By whom? Attached?): Previous experience with this species: Have seen several in louisiana. Many in various part of the East wast and Britain.
20. Alds: List books, illustrations, birders, etc. used in identification.
a) at time of observation: Nove
b) after observation: None 21. This description written from: notes made during observation; notes made after observation (date:); memory.
22. Are you positive of your identification? Ve. If not, explain:
23. Signature of reporter: Automatical Signature of writing this account:
12/14/91 12:55 PM

1,---