LBRC Report Form

- 1. English and Scientific names: Green-breasted Mango Anthracothorax prevostii
- 2. Number of individuals, sexes, ages, general plumage (e.g., 2 in alternate plumage):
- 1, aged as immature by Van Remsen based on small amounts of cinnamon in throat
- 3. Parish:

Terrebone

4. Specific Locality:

Schriever

- 5. Date(s) when observed: 12/6/23
- 6. Time(s) of day when observed: mid morning, 10-12
- 7. Reporting observer: Esme Rosen
- 8. Other observers accompanying reporter who also identified the bird(s): stakeout mob
- 9. Other observers who independently identified the bird(s): Originally discovered by homeowner, Diana Bailly, the day prior and photographed by Kathy Rhodes
- 10. Light conditions (position of bird in relation to shade and to direction and amount of light): variable but generally adequate
- 11. Optical equipment (type, power, condition): Zeiss binoculars
- 12. Distance to bird(s): quite close
- 13. Duration of observation: came to feeder off and on for the whole two hours I was there
- 14. Habitat: Suburban yard with feeders and a number of flowering bushes
- 15. Behavior of bird / circumstances of observation (flying, feeding, resting; include and stress habits used in identification; relate events surrounding observation): Very active and flighty, usually seen quickly coming to feeder for less than 30 sec before flying off, either due to noise from onlookers or aggressive Rufous Hummingbirds. Seen perched on tops of trees near feeders on occasion, giving slightly longer but obscured views.
- 16. Description (include only what was actually seen, not what "should" have been seen; include if possible: total length/relative size compared to other familiar species, body

bulk, shape, proportions, bill, eye, leg, and plumage characteristics. Stress features that separate it from similar species):

Stunning large hummingbird with decurved beak. Green above and on flanks, with stripe of white down the front, with purple in the middle of that. Stripe extended to throat, where there was also a bit of orangish-cinnamon. Tail rufous with partial black band

- 17. Voice: regular loud high chip notes, often audible before the bird was seen
- 18. Similar species (include how they were eliminated by your observation): no similar species within US
- 19. Photographs or tape recordings obtained? (by whom? attached?): Yes, some by me attached, others on eBird, audio also obtained by Nick Ramsey, here https://ebird.org/checklist/S155849076
- 20. Previous experience with this species: none
- 21. Identification aids: (list books, illustrations, other birders, etc. used in identification):
 none
- 22. Identification aids used when? None used
- 23. Are you positive of your identification? If not, explain: yes
- 24. Date report completed: 12/8/23
- 25. May the LBRC have permission to display in whole or in part this report and accompanying photos on the LOS-LBRC website and LBRC Facebook page? Yes
- 26. If yes, may we include your name with the report? Yes













