## LOUISIANA BIRD RECORDS COMMITTEE

## REPORT FORM

- 1. English and Scientific names: Gray Kingbird (*Tyrannus dominicensis*)
- 2. Number of individuals, sexes, ages, general plumage (e.g., 2 in alternate plumage): 1 individual, SY by eccentric-type molt limits in the spread wing and male by shape of outer primaries (Pyle 1997)
- 3. Parish: Jefferson Parish
  Specific Locality: Grand Isle Exxon Fields, on wires at Orleans Ave. x Campsite Rd.
- 4. Date(s) when observed: 3 May 2015
- 5. Time(s) of day when observed: 8:20 pm
- 6. Reporting observer and address: Erik I. Johnson, 102 Goodwood Cir., Lafayette, LA 70508
- 7. Other observers accompanying reporter who also identified the bird(s): none
- 8. Other observers who independently identified the bird(s): Dan Purrington and David Muth apparently relocated the bird sometime later in the date (DRP pers. comm.).
- 9. Light conditions (position of bird in relation to shade and to direction and amount of light): morning light at various angles relative to sun. Sunny and great viewing conditions.
- 10. Optical equipment (type, power, condition): 10 x 42 Swarovski EL binoculars. Photographed with Nikon D7000 DSLR with 80-400 mm f/4.5-5.6 lens
- 11. Distance to bird(s): ~100+ feet
- 12. Duration of observation: 6 minutes
- 13. Habitat: mowed fields
- 14. Behavior of bird / circumstances of observation (flying, feeding, resting; include and stress habits used in identification; relate events surrounding observation): Actively

foraging from high on power lines. Sallying out great distances to grab insects and returning to a variety of different power lines in the general area.

- 15. Description (include only what was actually seen, *not what "should" have been seen*; include if possible: total length/relative size compared to other familiar species; body bulk, shape, proportions; bill, eye, leg, and plumage characteristics. Stress features that separate it from similar species, *or for species that are known to hybridize frequently, stress features that help eliminate possible hybrids*): Initially seen from about 500 feet away, mostly from below/front-on, showing all white underparts. Head looked pale (not black) and slightly masked, then I noticed the tail had no white terminal bar. Immediately suspecting a Gray Kingbird I drove closer and could see the back was gray (not black) and the bill looked somewhat largish.
- 16. Voice: not heard.
- 17. Similar species (include how they were eliminated by your observation): Eastern Kingbird quickly eliminated by gray (not black) head and lack of white terminal band on tail. Back was also gray (not black). Lack of yellow underneath eliminates most other *Tyrannus* kingbirds (including Thick-billed, bill shape was also wrong in the case of a very drab bird). Head too gray to be Giant Kingbird.
- 18. Photographs or tape recordings obtained? (by whom? attached?): Photos, yes, by me.
- 19. Previous experience with this species: Seen almost annually in SE LA over last 10 years or so.
- 20. Identification aids: (list books, illustrations, other birders, etc. used in identification):
- a. at time of observation: none
- b. after observation: Google Images

21. This description is written from:

	notes made during the observation.	Are notes attached?	
	notes made after the observation.	At what date?	
X	Memory		
X	study of images		

22. Are you positive of your identification? If not, explain:

Yes

23. Date: 5/22/2015 Time: 7:50am



