## LOUISIANA BIRD RECORDS COMMITTEE

## REPORT FORM

- 1. English and Scientific names: Harris's Hawk (*Parabuteo unicinctus*)
- 2. Number of individuals, sexes, ages, general plumage (e.g., 2 in alternate plumage): 1 adult
- 3. Parish: Cameron Specific Locality: ~29.98151, -93.07678; Cameron Prairie NWR, E of Hwy 27
- 4. Date(s) when observed: Dec 18, 2017
- 5. Time(s) of day when observed: Not certain; late morning
- 6. Reporting observer and address: Phillip L. Vasseur, Rockefeller Wildlife Refuge 5476 Grand Chenier Hwy, Grand Chenier, LA 70643
- 7. Other observers accompanying reporter who also *identified* the bird(s): Billy Leonard (FWS)
- 8. Other observers who independently identified the bird(s): None that I know of; however, Van Remsen confirmed ID through photographs he obtained via an eBird report I submitted.
- 9. Light conditions (position of bird in relation to shade and to direction and amount of light): Mostly cloudy skies but no significant shading that would have created poor visual
- 10. Optical equipment (type, power, condition): spotting scope
- 11. Distance to bird(s): 150-200 yards
- 12. Duration of observation: 5-10 min
- 13. Habitat: Treeline surrounded by early successional/marsh habitat
- 14. Behavior of bird / circumstances of observation (flying, feeding, resting; include and stress habits used in identification; relate events surrounding observation): Hawk was perched/resting in a large willow tree for the duration of the observation. Billy Leonard and I were conducting a CBC on the non-public use areas of Cameron Prairie NWR.
- 15. Description (include only what was actually seen, *not what "should" have been seen*; include if possible: total length/relative size compared to other familiar species; body bulk, shape, proportions; bill, eye, leg, and plumage characteristics. Stress features that

separate it from similar species, or for species that are known to hybridize frequently, stress features that help eliminate possible hybrids): I could clearly see its yellow legs contrasted against the rufous color on its thighs. It was a dark-bodied bird with distinct rufous coloration on its shoulders and linings of its wings.

16. Voice: Did not call

- 17. Similar species (include how they were eliminated by your observation): Dark morph of Swainson's Hawk can look similar. However, time of year and obvious rufous shoulder markings and thighs on observed Harris's Hawk eliminated that possibility.
- 18. Photographs or tape recordings obtained? (by whom? attached?): Several photographs were taken using Billy Leonard's camera. A few photographs show diagnostic characteristics; see attached.
- 19. Previous experience with this species: I have seen this species before during a birding trip to south Texas
- 20. Identification aids: (list books, illustrations, other birders, etc. used in identification):
- a. at time of observation: NA
- b. after observation: Kaufman Field Guide to Birds of North America

21. This description is written from:

	notes made during the observation.	Are notes attached?	
	notes made after the observation.	At what date?	
X	memory		
X	study of images		

- 22. Are you positive of your identification? If not, explain: Yes
- 23. Date: 12/28/2017 Time: 10:56

24. May the LBRC have permission to display in whole or in part this report and accompanying photos on the LOS-LBRC website and LBRC Facebook page?

Yes

If yes, may we include your name with the report? \_\_\_\_No\_\_\_\_\_

