- 1. English and Scientific names: Shiny Cowbird Molothrus bonariensis
- 2. Number of individuals, sexes, ages, general plumage (e.g., 2 in alternate plumage): one individual, adult male,
- 3. Parish: Jefferson

Specific Locality: Grand Isle, La, in vicinity of Orleans Ave. and Birch Lane.

- 4. Date(s) when observed: Wednesday December 20 Grand Isle CBC
- 5. Time(s) of day when observed: observed once around 3:45 PM
- 6. Reporting observer and address: Cathy DiSalvo

7304 Stoneleigh Drive Harahan LA 70123

7. Other observers accompanying reporter who also *identified* the bird(s):

Joan Garvey (photos)

Rosemary Seidler

8. Other observers who independently identified the bird(s):

none

- 9. Light conditions (position of bird in relation to shade and to direction and amount of light): the bird was perched in small bare tree, in open light, no obstruction
- 10. Optical equipment (type, power, condition): zeiss 10x 40 binoculars, camera with telephoto lens
- 11. Distance to bird(s): about 20 feet, observed from car.
- 12. Duration of observation: about 10 minutes
- 13. Habitat: tree in empty lot next to a residence. Large brushy field across the street. But basically residential area adjacent to exon property.
- 14. Behavior of bird / circumstances of observation (flying, feeding, resting; include and stress habits used in identification; relate events surrounding observation): bird was perched in bare tree with cowbirds, starling
- 15. Description (include only what was actually seen, *not what "should" have been seen;* include if possible: total length/relative size compared to other familiar species; body bulk, shape, proportions; bill, eye, leg, and plumage characteristics. Stress features that separate it from similar species, *or for species that are known to hybridize frequently, stress features that help eliminate possible hybrids*): All black bird same size as the brown-headed cowbird with it, about 7in., dark eye and legs. Pointy, thin cone shaped bill.

16.	Voice:	no	vocalizations

- 17. Similar species (include how they were eliminated by your observation): Smaller than Brewer's black bird (no red eye), red-winged blackbird, bronzed cowbird, with no evidence of wing bars, eye dark. Uniformly dark body indicative of an adult. Dark body without brown head eliminates brown-headed cowbird.
- 18. Photographs or tape recordings obtained? (by whom? attached?): photograph by Joan Garvey
- 19. Previous experience with this species: little
- 20. Identification aids: (list books, illustrations, other birders, etc. used in identification):

a. at time of observation: Referenced National Geographic Field Guide to the Birds of North America

b. after observation: Field guide, compared to other possible similar species, study of photos compared to field guide, photos to D Muth for opinion.

21. This description is written from:

	notes made during the observation.	Are notes attached?	
X	notes made after the observation.	At what date?	Ebird
			documention
			in the field
X	memory		
X	study of images		

22. Are you positive of your identification? If not, explain: After sending photos to David Muth, a much more experienced and proficient birder, the Id was confirmed

23. Date: 1/13/18 Time:12:30 PM

24. May the LBRC have permission to display in whole or in part this report and
accompanying photos on the LOS-LBRC website and LBRC Facebook page?
yes
If yes, may we include your name with the report?yes

