## **LBRC Report Form**

- 1. English and Scientific names: Tropical Kingbird (Tyrannus melancholicus)
- 2. Number of individuals, sexes, ages, general plumage (e.g., 2 in alternate plumage):

1

3. Parish:

Plaquemines

4. Specific Locality:

Diamond Road near the Diamond Ball Park Roost

- 5. Date(s) when observed: 11.07.2024
- 6. Time(s) of day when observed: about 2:15 pm
- 7. Reporting observer: Kathy Rhodes
- 8. Other observers accompanying reporter who also identified the bird(s): Shannon Jantz and Lynn Ostheimer
- 9. Other observers who independently identified the bird(s): No one else here
- 10. Light conditions (position of bird in relation to shade and to direction and amount of light): Partial Sun and cloudy
- 11. Optical equipment (type, power, condition): Nikon Coolpix B600 camera and Nikon Prostaff 3s Binoculars
- 12. Distance to bird(s): 50 to 100 feet
- 13. Duration of observation: 5-10 minutes
- 14. Habitat: 2 lane lightly traveled street near tree line by Mississippi River Levee and grassy ball park and fields
- 15. Behavior of bird / circumstances of observation (flying, feeding, resting; include and stress habits used in identification; relate events surrounding observation): Bird was on a utility wire. Watched it catch a bug. To confirm TRKI I played the call. The bird responded by flying over my head onto a wire on opposite side of street. It called back and I obtained audio.

16. Description (include only what was actually seen, not what "should" have been seen; include if possible: total length/relative size compared to other familiar species, body bulk, shape, proportions, bill, eye, leg, and plumage characteristics. Stress features that separate it from similar species):

Yellow Bellied Flycatcher with Long pointy bill. Tail was notched. Slim body. Primary feathers on wings not as black as Couch's creating less contrast to yellow body.

- 17. Voice: Heard calling. Have audio attached.
- 18. Similar species (include how they were eliminated by your observation): Couch's Kingbird is similar but has shorter more conical bill. The Couch's also has darker primary wing feathers creating higher contrast to yellow body.
- 19. Photographs or tape recordings obtained? (by whom? attached?): By me
- 20. Previous experience with this species: I have seen TRKI at Diamond in the past.
- 21. Identification aids: (list books, illustrations, other birders, etc. used in identification):

Merlin sound ID.

- 22. Identification aids used when? At time of sighting, After observation
- 23. Are you positive of your identification? If not, explain: Yes
- 24. Date report completed: 11.8.2024
- 25. May the LBRC have permission to display in whole or in part this report and accompanying photos on the LOS-LBRC website and LBRC Facebook page? Yes
- 26. If yes, may we include your name with the report? Yes









