LBRC Report Form

- 1. English and Scientific names: Western Flycatcher Empidonax difficilis
- 2. Number of individuals, sexes, ages, general plumage (e.g., 2 in alternate plumage): 1 presumed adult
- 3. Parish: Plaquemines
- 4. Specific Locality: Morel's Woods
- 5. Date(s) when observed: 11/8/24
- 6. Time(s) of day when observed: late morning
- 7. Reporting observer: Esme Rosen
- 8. Other observers accompanying reporter who also identified the bird(s): Nick Ramsey, Libby Brennan, Kraig Oramous, Caleb Persia
- 9. Other observers who independently identified the bird(s): Van Remsen, David Muth

This bird is presumed to be the same individual the I submitted to the LBRC on October 12th of this year after undergoing extensive molt. It was refound by Van, David, and Nick Ramsey a few days prior. Nick suggested that this bird could be a returning bird from last year, which I also submitted to the LBRC

- 10. Light conditions (position of bird in relation to shade and to direction and amount of light):dark but good light
- 11. Optical equipment (type, power, condition): Nikon Binoculars
- 12. Distance to bird(s): extremely close, only a few meters, and the bird was very low to the ground
- 13. Duration of observation: 10-15 minutes bird was extremely cooperative
- 14. Habitat: oak lot situated between Bay Pomme D'Or and the lower Mississippi river, containing numerous old oaks

- 15. Behavior of bird / circumstances of observation (flying, feeding, resting; include and stress habits used in identification; relate events surrounding observation): foraging near ground, mostly perched, flew around some
- 16. Description (include only what was actually seen, not what "should" have been seen; include if possible: total length/relative size compared to other familiar species, body bulk, shape, proportions, bill, eye, leg, and plumage characteristics. Stress features that separate it from similar species):

Empidonax with overall greenish coloration and lemma yellow belly, moderate length bill with orange base, bold tear drop shaped eye ring, buffy wing bars, medium short primary projection, slight crest

- 17. Voice: did not vocalize
- 18. Similar species (include how they were eliminated by your observation): the very unlikely Acadian or Yellow-bellied can be eliminated by the structure and the tear drop shaped eye ring
- 19. Photographs or tape recordings obtained? (by whom? attached?): photos attached; additional photos by Nick Ramsey here: https://ebird.org/checklist/S201818693
- 20. Previous experience with this species: I have seen the species many times in the west and two times in Louisiana
- 21. Identification aids: (list books, illustrations, other birders, etc. used in identification):

none

- 22. Identification aids used when? None used
- 23. Are you positive of your identification? If not, explain: yes
- 24. Date report completed: 11/22/24
- 25. May the LBRC have permission to display in whole or in part this report and accompanying photos on the LOS-LBRC website and LBRC Facebook page? Yes
- 26. If yes, may we include your name with the report? Yes





